Journal of Immunological Methods, 146 (1992) 273–274

© 1992 Elsevier Science Publishers B.V. All rights reserved 0022-1759/92/$05.00

Contents to volume 146 (1992)

Number 1 – 21 January 1992

Research reports

Computer program for planning and evaluating microplate experiments
P. Siman (Czechoslovakia) 1

Unexpected interaction of some anti-TNP hybridoma antibodies with Superose HPLC gel filtration resins
T.E. Michaelsen, M.F. Løfsgaard, A. Aase and B. Heyman (Norway, Sweden) 9

IgG subclass distribution of anti-HBs antibodies following vaccination with cDNA HBsAg
R.M. Borzì, P. Dal Monte, M.C. Honorati and A. Facchini (Italy) 17

Escherichia coli heat-stable enterotoxin (STa)-biotin conjugates for the titration of STa antisera by an enzyme-linked immunosorbent assay
Y. Germani, H. DeRocquigny and J.L. Guesdon (New Caledonia, France) 25

Production and characterisation of monoclonal antibodies to the mid-region 37–67 sequence of parathyroid hormone-related protein
W.A. Ratcliffe, S.J. Bowden, J. Emly, S. Hughes and J.G. Ratcliffe (U.K.) 33

An oscillating bubble chamber for laboratory scale production of monoclonal antibodies as an alternative to ascitic tumours
R. Pannell and C. Milstein (U.K.) 43

Separation of peripheral blood lymphocytes with low platelet and erythrocyte contamination, using ADP aggregation
L.M. Castell (U.K.) 49

Measurement of lysozyme by an enzyme-linked immunosorbent assay
D.C. Taylor, A.W. Cripps and R.L. Clancy (Australia) 55

Establishment of anti-human neuroblastoma-selective isotype-switch variants
C. D'Uscio and K. Blaser (Switzerland) 63

Analysis of amplified T cell receptor Vβ transcripts by a non-isotopic immunoassay
A. Bettinardi, L. Imberti, A. Sottini and D. Primi (Italy) 71

Simultaneous multiple synthesis of peptide-carrier conjugates
N.J. Maeji, G. Tribbick, A.M. Bray and H.M. Geysen (Australia) 83

Calculation of lytic units for the expression of cell-mediated cytotoxicity
J. Bryant, R. Day, T.L. Whiteside and R.B. Herberman (U.S.A.) 91

A quantitative immunoassay using chicken antibodies for detection of native and recombinant α-amidating enzyme
A.M. Sturmer, D.P. Driscoll and D.E. Jackson-Matthews (U.S.A.) 105

Propagation of a mouse myeloma cell line J558L producing human CD4 immunoglobulin G1
E.-J. Schlaeger and B. Schumpp (Switzerland) 111

The use of spent renal dialysis membranes for the isolation of large numbers of human neutrophils for biochemical studies. Application to purification of the myeloid IgA receptor (FcαR)
R.L. Mazengera, M.A. Kerr and A.S. Todd (U.K.) 121

An improved haemolytic plaque assay for the detection of cells secreting antibody to bacterial antigens
T. Barington and C. Heilmann (Denmark) 129

Software notice

MPLAT – a program for the planning and evaluation of microplate experiments
P. Siman (Czechoslovakia) 139

Announcements 141

Notes to authors 143

Number 2 – 5 February (1992)

Research reports

Details of an isolation method for hepatic lymphocytes in mice
H. Watanabe, K. Ohtsuka, M. Kimura, Y. Ikarashi, K. Ohmori, A. Kusumi, T. Ohteki, S. Seki and T. Abo (Japan) 145

A colorimetric microtiter assay for the quantitation of cytokine activity on adherent cells in tissue culture
Y. Keisari (Israel) 155

Real-time biospecific interaction analysis of antibody reactivity to peptides from the envelope glycoprotein, gp160, of HIV-1
T.C. VanCott, L.D. Loomis, R.R. Redfield and D.L. Birx (USA) 163

Quantitation of glioma-reactive cytolytic T lymphocyte precursors by means of limiting dilution analysis
J.-J. Tzeng, R.F. Barth and C.G. Orosz (USA) 177

Isolation of maternal mononuclear cells from placentas for use in in vitro functional assays
F.N. Rasheed, J.N. Bulmer, L. Morrison, M.F.B. Jawla, M. Hassan-King, E.M. Riley and B.M. Greenwood (Gambia, UK) 185

A new method for detachment of Dynabeads from positively selected B lymphocytes
A.-M. Rasmussen, E.B. Smeland, B.K. Erikstein, L. Caignault and S. Funderud (Norway, France) 195

Physical separation of ICAM-1 binding cells
H. Hedman, H. Brändén and E. Lundgren (Sweden) 203

A novel format for a rapid sandwich EIA and its application to the identification of snake venoms
J.C. Cox, A.V. Moisidis, J.M. Shepherd, D.P. Drane and S.L. Jones (Australia) 213

A method of preparing blood leucocytes for flow cytometry which prevents upregulation of leucocyte integrins
A. Hamblin, M. Taylor, J. Bernhagen, Z. Shakoor, S. Mayall, G. Noble and D. McCarthy (UK) 219

The statistical analysis of data from immunoepidemiological studies
S. Bennett and E.M. Riley (UK) 229

An enhanced chemiluminescence detection system combined with a modified immunoblot technique for the detection of low molecular weight IgM in sera from healthy adults and neonates
H.J. Xu, K. Umapathysivam, J. McNeilage, T.P. Gordon and P.J. Roberts-Thomson (Australia) 241

Low temperature pepsin proteolysis. An effective procedure for mouse IgM $F(ab')_2$ fragment production
D.W. Pascual and L.W. Clem (USA) 249

Letters to the editors

Multi-well cell monolayers for immunocytochemistry. An alternative to cytocentrifuge preparations
H. Veenstra and E.B. Dowdle (South Africa) 257

Jacalin and artocarpin
J.L. Preud'homme, P. Aucouturier and N. Gualde (France) 259

Reply to the letter of J.L. Preud'homme et al.
I.K.F. De Miranda-Santos, J.O. Mengel Junior, M.M. Bunn-Moreno and A. Campos-Neto (Brazil) 261

Book reviews 265

Announcements 269

Contents to volume 146 (1992) 273

Notes to authors 275